| CUSTOMER DATA: | | | MOUNTING PROFILES: | L R |
|---|-----------------|---|-------------------------------|-------------|
| SERIES AND MODEL: | | | COMPLIES WITH SERIES AND MODE | ELS |
| FITTINGS COLOR: | | | OTHER: | |
| GLASS COLOR: | | | OTHER: | |
| MEASUREMENT METHODS: | | | | |
| X - niche Y X - niche Y AKP | | X - niche Y | | X - niche Y |
| MAIN DRAWING | CONSTRUCTION HE | | | |
| ENTRANCE: X SIDE | | STANDARD | OTHER: | •••••• |
| X | | MEASURE AND GIVE DEVIATIONS: (A BLANK FIELD MEANS NO DEVIATION) | | |
| ti- DL DW | Y Y | DL •••••••••••••••••••••••••••••••••••• | DW + 0 | DR |
| | • | CHOOSE THE VARIAN | NT OF THE LAYOUT: | |
| OK X A** | | *X DIMENSIONS | X S | 1 52 |
| L W1 | R | ACCORDING TO THE MAIN DRAWING X S1 S2 | X 🗆 51 | 52 53 54 |
| DETAIL B DETAIL B | * | S1 S2 S3 S4 | X | TATION: |
| * INDICATE "0" POINT(S) AND SEPCIFY DEVIATION(S) AS A NEGAT | IVE VALUE | | | |

ATTENTION, RADAWAY, FOR TECHNOLOGICAL REASONS, RESERVES THE POSSIBILITY OF MAKING CONSTRUCTION CHANGES.

REMARKS:

POINT(S) "0" IS/ARE THE HIGHEST POINT(S) ON THE FLOOR / SHOWER TRAY / L-SHAPE WALL

**CHECK THE FLATNESS OF THE CEILING AND DESCRIBE ANY CURVES. STANDARD SZ IS 4 MM FOR FIXED PARTS, 10 MM FOR SINGLE DOORS,

15 MM FOR BIFOLD DOORS, CONSIDER INCREASING THE GAP.

****CHECK THE FLATNESS AND DESCRIBE ANY CURVES. STANDARD GAP IS 3 MM, CONSIDER INCREASING IT.