




CUSTOMER DATA: \_\_\_\_\_  
 SERIES AND MODEL: \_\_\_\_\_ INSTALLER DATA: \_\_\_\_\_  
 FITTINGS COLOR: \_\_\_\_\_  
 GLASS COLOR: \_\_\_\_\_

MOUNTING PROFILE:


	Y	Z
COMPLIES WITH SERIES AND MODELS	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>



**MAIN DRAWING**





**DETAIL A \*\***





**CONSTRUCTION HEIGHT AT "0" POINT:**

STANDARD  OTHER: .....



**MEASURE AND GIVE DEVIATIONS (A BLANK FIELD MEANS NO DEVIATION)**



**CHOOSE THE VARIANT OF THE LAYOUT OF THE BUILDING WALLS FOR X AND Y:**



\* DIMENSIONS ACCORDING TO THE MAIN DRAWING



**GIVE DIMENSIONS AND METHOD OF INTERPRETATION:**

	X	Z
S1		
S2		
S3		
S4		

\* INDICATE "0" POINT(S) AND SEPCIFY DEVIATION(S) AS A NEGATIVE VALUE  
 POINT(S) "0" IS/ARE THE HIGHEST POINT(S) ON THE FLOOR / SHOWER TRAY / L-SHAPE WALL

\*\* FOR KDD + S, KDD II + S, KDDB + S SHOWER ENCLOSURES, IT IS NECESSARY TO MOUNT A TELESCOPIC SUPPORT BAR TO THE CEILING. CHECK THE POSSIBILITY OF INSTALLATION. THE MAXIMUM HEIGHT OF THE SUPPORT IS 3000 MM FROM THE BASE OF THE SHOWER ENCLOSURE. THE MAXIMUM HEIGHT OF THE SHOWER ENCLOSURE IS 2200 MM.

 ATTENTION, RADAWAY, FOR TECHNOLOGICAL REASONS, RESERVES THE POSSIBILITY OF MAKING CONSTRUCTION CHANGES.

REMARKS: \_\_\_\_\_