




CUSTOMER DATA: _____
 SERIES AND MODEL: _____ INSTALLER DATA: _____
 FITTINGS COLOR: _____
 GLASS COLOR: _____

MOUNTING PROFILE:	Y	Z
COMPLIES WITH SERIES AND MODELS	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>


MEASUREMENT METHODS: ENTRANCE SIDE „X” SIDE „Z”



MAIN DRAWING




DETAIL A **



CONSTRUCTION HEIGHT AT "0" POINT:

STANDARD OTHER:

MEASURE AND GIVE DEVIATIONS (A BLANK FIELD MEANS NO DEVIATION)



CHOOSE THE VARIANT OF THE LAYOUT OF THE BUILDING WALLS FOR X AND Y:

<p>X <input type="checkbox"/></p> <p>Y <input checked="" type="checkbox"/></p> <p>Z <input type="checkbox"/></p>		<p>X <input type="checkbox"/></p> <p>Y <input type="checkbox"/></p> <p>Z <input type="checkbox"/></p>	
* DIMENSIONS ACCORDING TO THE MAIN DRAWING			
<p>X <input type="checkbox"/></p> <p>Y <input type="checkbox"/></p> <p>Z <input type="checkbox"/></p>		<p>X <input type="checkbox"/></p> <p>Y <input type="checkbox"/></p> <p>Z <input type="checkbox"/></p>	

GIVE DIMENSIONS AND METHOD OF INTERPRETATION:

	X	Z
S1		
S2		
S3		
S4		

* INDICATE "0" POINT(S) AND SEPCIFY DEVIATION(S) AS A NEGATIVE VALUE POINT(S) "0" IS/ARE THE HIGHEST POINT(S) ON THE FLOOR / SHOWER TRAY / L-SHAPE WALL

** FOR KDD + S, KDD II + S, KDDb + S SHOWER ENCLOSURES, IT IS NECESSARY TO MOUNT A TELESCOPIC SUPPORT BAR TO THE CEILING. CHECK THE POSSIBILITY OF INSTALLATION. THE MAXIMUM HEIGHT OF THE SUPPORT IS 3000 MM FROM THE BASE OF THE SHOWER ENCLOSURE. THE MAXIMUM HEIGHT OF THE SHOWER ENCLOSURE IS 2200 MM.

 ATTENTION, RADAWAY, FOR TECHNOLOGICAL REASONS, RESERVES THE POSSIBILITY OF MAKING CONSTRUCTION CHANGES.

REMARKS: _____