


CUSTOMER DATA: \_\_\_\_\_  
 SERIES AND MODEL: \_\_\_\_\_ INSTALLER DATA: \_\_\_\_\_  
 FITTINGS COLOR: \_\_\_\_\_  
 GLASS COLOR: \_\_\_\_\_

MOUNTING PROFILE:	Q	Y
COMPLIES WITH SERIES AND MODELS	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>	<input type="checkbox"/>

MEASUREMENT METHODS: ENTRANCE  SIDE „X”  SIDE „Z”




**MAIN DRAWING**

**CONSTRUCTION HEIGHT AT "0" POINT:**


STANDARD

NO POSSIBILITY TO CHANGE THE HEIGHT

**MEASURE AND GIVE DEVIATIONS (A BLANK FIELD MEANS NO DEVIATION)**



**CHOOSE THE VARIANT OF THE LAYOUT OF THE BUILDING WALLS FOR X, Y, Z;**



**GIVE DIMENSIONS AND INTERPRETATION METHODS**

	X	Y	Z
S1			
S2			
S3			
S4			

\* INDICATE "0" POINT(S) AND SPECIFY DEVIATION(S) AS A NEGATIVE VALUE  
 POINT(S) "0" IS/ARE THE HIGHEST POINT(S) ON THE FLOOR / SHOWER TRAY / L-SHAPE WALL  
 W1, W2 TO BE MEASURED FROM THE SHOWER ENCLOSURE BASE

\*\* CHECK THE FLATNESS AND DESCRIBE ANY CURVES. STANDARD GAP IS 3 MM, CONSIDER INCREASING IT.

 ATTENTION, RADAWAY, FOR TECHNOLOGICAL REASONS, RESERVES THE POSSIBILITY OF MAKING CONSTRUCTION CHANGES.

REMARKS: \_\_\_\_\_